

KX-MB2235/ 2275/ DP-MB250



ITComm Training Center
Jl.Raya Perjuangan Kav 21
Ruko Sastra Graha Blok J No.22
Phone : 021-5333348
www.itcommservice

KX-MB2200/2500, DP-MB250/310



Bagian 1 Tabel Perbandingan

K X - M B 2

Basic specs

Function

Printer emulation

	Print speed	USB port	Backlit LCD	RADF
5	30ppm (A4)	Yes (Host)	Yes	Yes
2	28ppm (A4)	-	-	-

	SG3 FAX	Wi-Fi
7	Yes	Yes
4	Yes	-
3	-	-
1	-	-

	GDI	PCL
5	Yes	Yes
0	Yes	-

Reverse Automatic Document Feeder (RADF) : pengumpan dokumen otomatis yang secara otomatis dapat mengubah dokumen ke salinan di sisi kebalikannya





GDI (Graphical Device Interface) adalah suatu sitem grafis yang mengatur apa yang akan ditampilkan pada layar monitor dan memberikan dukungan untuk printer dan perangkat lainnya.

Spesifikasi (CX Model)

CX: Untuk Negara di Asia & Timur Tengah







» Lineup (CX Model)

Model		DP-MB250CX	KX-MB2545CX	KX-MB2275CX	KX-MB2235CX
					
Copy		✓	✓	✓	✓
Print	PCL	✓	✓	✓	✓
	GDI	✓	✓	✓	✓
Scan		✓	✓	✓	✓
Fax		✓	✓	✓	✓
Computer Interface	100Base-TX/10Base-T	✓	✓	✓	✓
	Wi-Fi (IEEE802.11b/g/n)	-----	-----	✓	-----
	USB	✓	✓	✓	✓
USB port for memory device		✓	✓	-----	-----
Automatic Document Feeder (ADF)		✓ (Auto-reverse)	✓ (Auto-reverse)	✓	✓
Handset		✓	✓	✓	✓
OCR(Optical Character Recognition) software		✓	✓	-----	-----
Optional Paper Cassette		KX-FAP107 (500 sheets)		n/a	
Toner cartridge		DQ-TCC008E (8,000 pages*1)	KX-FAT431E (6,000 pages*1) KX-FAT430E (3,000 pages*1) KX-FAT421E (2,000 pages*1)		
Drum cartridge		DQ-DCC018E (18,000 pages)	KX-FAD422E (18,000 pages)		

*1 ISO/IEC 19752 standard.





» Spesifikasi (Umum)

Model		DP-MB250CX	KX-MB2545CX	KX-MB2275CX	KX-MB2235CX
					
Printing Process		Laser			
Recording Paper Size(Simplex)		Cassette: A4, A5, LTR, LGL, 216 x 330 mm, 216 x 340 mm, B5(JIS/ISO), 16K Multi-purpose tray/Manual tray: A4, A5, A6, LTR, LGL, B6(JIS/ISO), B5(JIS/ISO), 216 x 330 mm, 216 x 340 mm, 16K, Envelope #10/DL/YOUKEI#4/CHOUKEI#3/CHOUKEI#4, Post Card, Custom (W: 9			
Recording PaperCapacity *2		Max: 1050 sheets (Standard Cassette: 500 sheets / Multi-purpose tray: 50 sheets / Optional Cassette: 500 sheets)		Max: 501 sheets (Cassette: 500 sheets / Manual tray: 1 sheet)	
General	ADF	Capacity		50 sheets	
		Document size	Single-sided	A4, A5, A6, LTR, LGL, B6(JIS/ISO), B5(JIS/ISO), 216 x 330 mm, 216 x 340 mm, 16K, Long Paper (W 210-216, L356-600 mm)	
	Double-sided		A4, A5, LTR, LGL, B5(JIS/ISO), 216 x 330 mm, 216 x 340 mm, 16K		n/a
LCD Display		16 digits / 2 lines (Backlit LCD)		16 digits / 2 lines	
Memory Size		64 MB			
Monthly duty	Average	5,000 pages	3,000 pages	1,500 pages	
	Maximum	50,000 pages	30,000 pages	15,000 pages	
Power Consumption		Maximum: Approx. 1000 W, Copy: Approx. 500 W, Ready: Approx. 55W, Sleep: Less than 1 W *3			
Dimensions (W x D x H)		400 x 413 x 400 mm			
Weight		Approx. 16 kg		Approx. 15 kg	

*2 Depending on the type of paper.

*3 When only USB interface is connected and LAN is OFF mode. Power consumption in sleep mode depends on machine condition.





» Spesifikasi (Printer / Copier / Scanner)

Model		DP-MB250CX	KX-MB2545CX	KX-MB2275CX	KX-MB2235CX
					
Printer	Print Speed	30 ppm (A4)		28 ppm (A4)	
	Duplex Printing	Yes (A4, LTR, LGL, 216 x 330 mm, 216 x 340 mm)			
	Duplex Productivity (A4)	93 % (28 ppm)		100% (28 ppm)	
	Print Resolution	Up to 2400 x 600 dpi (Interpolated)			
	First Print Time	8.5 s (from standby)			
	Supported OS	Windows® XP, Windows Vista®, Windows® 7, Windows® 8 Windows Server® 2008, Windows Server® 2012, Mac OS X 10.5 - 10.8, Linux® *4			
Copier	Copy Speed *5	30 cpm (A4)		28 cpm (A4)	
	Copy Resolution	Up to 600 x 600 dpi			
	Multi-Copy	99 pages			
	First Copy Time	10.5 s (ADF)			
	Reduction / Enlargement	25 % - 400 % (1 % step)			
	Copy Function	Quick ID, N-in-1, Separate N-in-1, Poster, Image Repeat, Edge/Margin			
Scanner	Colour / Mono Scan	Yes / Yes			
	Scan Resolution	Up to 600 x 1200 dpi (Optical) / Up to 19200 x 19200 dpi (Interpolated)			
	Scan Function	Scan to PC/OCR/Email Address/FTP/SMB/USB		Scan to PC/Email Address/FTP/SMB	
	Supported OS	Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Mac OS X 10.5 - 10.8, Linux® *4			

*4 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6, Ubuntu® 10/11/12. Driver is provided via web download.

*5 Continuous copy of a shingle original.

» Spesifikasi (FAX)

Model		DP-MB250CX 	KX-MB2545CX 	KX-MB2275CX 	KX-MB2235CX 
Fax	Modem Speed	33.6 kbps - 2.4 kbps with automatic fallback			
	Memory Size *6	7.9 MB Reception: Approx. 400 pages Transmission: Approx. 200 pages	7.3 MB Reception: Approx. 350 pages Transmission: Approx. 200 pages	3.1 MB Reception: Approx. 80 pages Transmission: Approx. 150 pages	
	Address book	300		100	
	Fax / Tel Switch	Yes		Yes	
	Fax to Email	Yes		Yes	
	Internet Fax	Yes		No	
	Web Fax Preview	Yes		Yes	

*6 Based on the ITU-T No. 1 Test Chart in standard resolution.

Mode Restriction

Department: Dept_02
Dept. code: 2222




Department: Dept_01
Dept. code: 1111



Name	Dept. code	Copy	Print
Dept_01	1111	Yes	Yes
Dept_02	2222	Yes	No
Dept_10	1234	No	No



Copy NG
Department: Dept_10
Dept. code: 1234



Department Counter Report

Registered Parameter

Count Report

Name	Dept. code	Copy	Print
Dept_01	1111	Yes	Yes
Dept_02	2222	Yes	Yes
Dept_03	3333	Yes	No
Dept_04	4444	Yes	No
Dept_05	5555	Yes	No
Dept_06	6666	Yes	Yes
Dept_07	7777	No	Yes
Dept_08	8888	No	Yes
Dept_09	9999	No	Yes
Dept_10	1234	No	No

[Print Count (Department)] Model : KX-MB2011

Set Date & Time : Feb. 10 2012 03:30PM
Your Logo :
Your Fax Number :

Department	Copy	Print
Dept_01	00000100	00000210
Dept_02	00000110	00000110
Dept_03	00000130	00000000
Dept_04	00000140	00000510
Dept_05	00000150	00000510
Dept_06	00000106	00000310
Dept_07	00000206	00000000
Dept_08	00000000	00000300
Dept_09	00000110	00000000
Dept_10	00000111	00000001
Total	00001163	00001951
FAX	00000120	
Others	00000100	
Total	00003334	

Compact Flatbed & ADF

Flatbed



Automatic Document Feeder



Proof Copy




Check copy results.



OK

Continue copying.




Quick ID copy (FB)



Card Front



Card Back



Max 8 in 1 copy



2 in 1



4 in 1



8 in 1

Image Repeat (FB)



Card Front



Max 8 in 1 copy



2 in 1




4 in 1



8 in 1

Separate N in 1 Copy (FB)



Poster Copy

A4 / LTR original




Output

Edge / Margin



Booklet copy



» High Performance Printing (B&W)



Watermark

N in 1

Overlay


Zoom

POINT

Driver printer performa tinggi menangani berbagai kebutuhan pencetakan.

» Overlay Printing (B&W)


Overlay Setting




Network or USB

» Zoom Printing (B&W)

Zoom Setting




Network or USB



» Poster Printing (B&W)



Poster Setting



Network or USB



» Profiles Save (B&W)

Printer Driver Setting




Watermark (B&W)

Watermark Setting



N in 1 Printing (B&W)

N in 1 Setting



Network or USB

Network or USB




» Trial Print (B&W)

A3/ Ledger size document


Letter	8.50 × 11.00 in.
Legal	8.50 × 14.00 in.
A4	210.0 × 297.0 mm
Ledger	11.00 × 17.00 in.
A3	297.0 × 420.0 mm

A4 or Letter size




» Device Monitor

Device Monitor starts automatically




USB or Network

» Custom Paper size setting



*1 Width: 90.0 - 216.0mm, Length: 200.0 - 356.0mm



➤ Mencetak langsung dari memori USB *(B&W)

NEW

* Tersedia Model : DP-MB310/DP-MB250/KX-MB2500 series



Port USB depan printer dirancang untuk perangkat USB 2.0. Sebuah perangkat kelas penyimpanan massa memori USB (Format: FAT12/FAT16/FAT32, ukuran sektor: 512 bytes) dapat digunakan dengan unit ini

POINT

Data dokumen yang tersimpan pada memori USB dapat dicetak tanpa Komputer.

Format file yang didukung: **TIFF, JPEG** dan **PDF jenis Gambar**


» Jenis Format Scanning

Scanned data




» Scan ke SMB Folder

(sampai dengan 6 tujuan dapat didaftarkan.)




» Scan ke FTP Server

FTP Server (sampai 6 tujuan)




» Scan ke Alamat Email



» Dukungan Enkripsi SSL

NEW

Scan ke E-Mail



POINT


Anda dapat menggunakan alamat email gratis untuk "Scan untuk Email" fungsi dengan mendukung SMTPs



PC Scan over Router



Current : PC scan over router is not available
New: PC scan over router is available





Scan ke Memori USB*




* Tersedia Model: DP-MB310/DP-MB250/KX-MB2500 series



POINT

Data yang di scan bisa disimpan ke memori USB secara langsung


» Fungsi Fax *Web Preview*




» PC Fax* terdapat Multi-Function Station Software



» 33.6 kbps Super G3 Fax



» Fax ke Email



* Pengiriman Fax pada Windows® dan Mac OS. Fax hanya menerima pada Windows®.

* Waktu Komunikasi dapat bervariasi tergantung pada kondisi saluran telepon dan mesin tujuan.

Mentransfer data fax ke Email alamat otomatis.

Multi-Function Station Software



- ▶ - Scan ke Viewer, File, Email, OCR*1, atau Custom pada komputer anda
- ▶ - Buka scan folder pada komputer anda
- ▶ - Start Viewer software
- ▶ - Mengirim, menerima dokumen fax menggunakan komputer anda *2 *3
- ▶ - Mulai Remote Control untuk mengedit pengaturan mesin
- ▶ - Mulai mengatur Wireless LAN *4
- ▶ - Mulai Device Monitor
- ▶ - Mulai Device Monitor of List type
- ▶ - Mulai Web Browser *5
 - Mengkonfirmasi status perangkat
 - Memeriksa/mengubah pengaturan jaringan
 - Melihat dokumen fax yang diterima



* 1 Membutuhkan software OCR. (Seri KX-MB2200 tidak termasuk software OCR)
 * 2 Kecuali KX-MB2515 / KX-MB2510.
 * 3 Fax pengiriman pada Windows® dan Mac OS. Fax menerima pada Windows®.
 * 4 Tersedia pada model Wi-Fi saja.
 * 5 Membutuhkan koneksi LAN

Mudah Print Utility*

* Hanya support pada Windows®



» Import / Export Data CSV untuk Edit Buku alamat email

<< Multi-Function Remote Control >>

<< Multi-Function Remote Control >>

Buku Alamat

Buku Alamat


Import

Export

CSV file

CSV file

USB or Network



Bagian 1
Selesai